

Strategy (“Peel off” a cyclic summand (for FTFAG))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

1. Induct on the order p^n of G .

Strategy (“Peel off” a cyclic summand (for FTFAG))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

1. Induct on the order p^n of G .
2. Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.

Strategy (“Peel off” a cyclic summand (for FTFAG))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

1. Induct on the order p^n of G .
2. Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
3. Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

1. Induct on the order p^n of G .
2. Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
3. Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
4. Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

1. Induct on the order p^n of G .
2. Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
3. Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
4. Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
5. Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

1. Induct on the order p^n of G .
2. Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
3. Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
4. Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
5. Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .
6. Show $\langle a \rangle \cap K = \{0\}$ and $G = \langle a \rangle + K$ (counting argument).

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

- ✓ Induct on the order p^n of G .
- Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
- Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
- Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
- Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .
- Show $\langle a \rangle \cap K = \{0\}$ and $G = \langle a \rangle + K$ (counting argument).

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

- ✓ Induct on the order p^n of G .
- ✓ Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
- 3. Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
- 4. Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
- 5. Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .
- 6. Show $\langle a \rangle \cap K = \{0\}$ and $G = \langle a \rangle + K$ (counting argument).

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

- ✓ Induct on the order p^n of G .
- ✓ Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
- ✓ Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
- 4. Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
- 5. Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .
- 6. Show $\langle a \rangle \cap K = \{0\}$ and $G = \langle a \rangle + K$ (counting argument).

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

- ✓ Induct on the order p^n of G .
- ✓ Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
- ✓ Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
- ✓ Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
- 5. Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .
- 6. Show $\langle a \rangle \cap K = \{0\}$ and $G = \langle a \rangle + K$ (counting argument).

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

- ✓ Induct on the order p^n of G .
 - ✓ Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
 - ✓ Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
 - ✓ Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
 - ✓ Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .
6. Show $\langle a \rangle \cap K = \{0\}$ and $G = \langle a \rangle + K$ (counting argument).

Strategy (“Peel off” a cyclic summand (for FTFAQ))

Lemma

Lemma: *Let G be a finite abelian p -group, and let a be an element of maximal order p^m in G . Then there is a subgroup K of G such that $G = \langle a \rangle \oplus K$.*

- ✓ Induct on the order p^n of G .
- ✓ Choose an element $b \in G \setminus \langle a \rangle$ of minimal order and use b to construct an element c of order p in $G \setminus \langle a \rangle$.
- ✓ Conclude $|b| = p$ and thus $\langle a \rangle \cap \langle b \rangle = \{0\}$.
- ✓ Show $a + \langle b \rangle$ has maximal order in $G / \langle b \rangle$, which has order p^{n-1} .
- ✓ Write $G / \langle b \rangle = \langle a + \langle b \rangle \rangle \oplus \bar{K}$ for some $\bar{K} \leq G / \langle b \rangle$. Let $K \leq G$ be the “pullback” of \bar{K} .
- ✓ Show $\langle a \rangle \cap K = \{0\}$ and $G = \langle a \rangle + K$ (counting argument).