

# Strategy (Uniqueness for FTFAQ)

## Theorem

*Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.*

# Strategy (Uniqueness for FTFAG)

## Theorem

*Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.*

1. Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.

# Strategy (Uniqueness for FTFAQ)

## Theorem

*Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.*

1. Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
2. Induct on the order of the groups.

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

1. Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
2. Induct on the order of the groups.
3. Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}.$$

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

1. Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
2. Induct on the order of the groups.
3. Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}.$$

4. Consider  $pG \leq G$  (to take advantage of the induction hypothesis).

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

1. Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
2. Induct on the order of the groups.
3. Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

4. Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
5. Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

1. Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
2. Induct on the order of the groups.
3. Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

4. Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
5. Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
6. Show  $pG \cong pH$

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

1. Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
2. Induct on the order of the groups.
3. Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

4. Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
5. Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
6. Show  $pG \cong pH$
7. Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

- ✓ Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
2. Induct on the order of the groups.
3. Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

4. Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
5. Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
6. Show  $pG \cong pH$
7. Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

- ✓ Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
- ✓ Induct on the order of the groups.
- 3. Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

4. Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
5. Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
6. Show  $pG \cong pH$
7. Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

- ✓ Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
- ✓ Induct on the order of the groups.
- ✓ Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

4. Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
5. Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
6. Show  $pG \cong pH$
7. Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .

# Strategy (Uniqueness for FTFAG)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

- ✓ Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
- ✓ Induct on the order of the groups.
- ✓ Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

- ✓ Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
5. Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
  6. Show  $pG \cong pH$
  7. Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .

# Strategy (Uniqueness for FTFAQ)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

- ✓ Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
- ✓ Induct on the order of the groups.
- ✓ Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

- ✓ Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
  - ✓ Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
6. Show  $pG \cong pH$
  7. Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .

# Strategy (Uniqueness for FTFAQ)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

- ✓ Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
- ✓ Induct on the order of the groups.
- ✓ Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

- ✓ Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
  - ✓ Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
  - ✓ Show  $pG \cong pH$
7. Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .

# Strategy (Uniqueness for FTFAQ)

## Theorem

Let  $G$  and  $H$  be finite abelian groups. Then  $G$  is isomorphic to  $H$  if and only if  $G$  and  $H$  have the same elementary divisors.

- ✓ Show  $\varphi(G(p)) \cong H(p)$  for each prime  $p$  so that it suffices to prove the theorem for  $p$ -groups.
- ✓ Induct on the order of the groups.
- ✓ Assume that

$$G = \mathbb{Z}_{p^{m_1}} \oplus \mathbb{Z}_{p^{m_t}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{r \text{ copies}}$$

$$H = \mathbb{Z}_{p^{n_1}} \oplus \mathbb{Z}_{p^{n_u}} \oplus \underbrace{\mathbb{Z}_p \oplus \mathbb{Z}_p}_{s \text{ copies}}$$

- ✓ Consider  $pG \leq G$  (to take advantage of the induction hypothesis).
- ✓ Identify the direct summands/elementary divisors for  $pG$  and  $pH$ .
- ✓ Show  $pG \cong pH$
- ✓ Apply the induction hypothesis to  $pG$  and  $pH$  and use it to rebuild  $G$  and  $H$ .