

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.
- 4 If A and B are disjoint, $P(A \text{ or } B) = P(A) + P(B)$.

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.
- 4 If A and B are disjoint, $P(A \text{ or } B) = P(A) + P(B)$.
- 5 $P(A \text{ doesn't happen}) = P(A^C) = 1 - P(A)$.

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.
- 4 If A and B are disjoint, $P(A \text{ or } B) = P(A) + P(B)$.
- 5 $P(A \text{ doesn't happen}) = P(A^C) = 1 - P(A)$.
- 6 If A and B are independent, $P(A \text{ and } B) = P(A)P(B)$.

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.
- 4 If A and B are disjoint, $P(A \text{ or } B) = P(A) + P(B)$.
- 5 $P(A \text{ doesn't happen}) = P(A^C) = 1 - P(A)$.
- 6 If A and B are independent, $P(A \text{ and } B) = P(A)P(B)$.
- 7 $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ whether or not A and B are disjoint.

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.
- 4 If A and B are disjoint, $P(A \text{ or } B) = P(A) + P(B)$.
- 5 $P(A \text{ doesn't happen}) = P(A^C) = 1 - P(A)$.
- 6 If A and B are independent, $P(A \text{ and } B) = P(A)P(B)$.
- 7 $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ whether or not A and B are disjoint.

- 8
$$P(B \text{ given } A) = P(B|A) = \frac{P(A \text{ and } B)}{P(A)}.$$

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.
- 4 If A and B are disjoint, $P(A \text{ or } B) = P(A) + P(B)$.
- 5 $P(A \text{ doesn't happen}) = P(A^C) = 1 - P(A)$.
- 6 If A and B are independent, $P(A \text{ and } B) = P(A)P(B)$.
- 7 $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ whether or not A and B are disjoint.

- 8
$$P(B \text{ given } A) = P(B|A) = \frac{P(A \text{ and } B)}{P(A)}.$$

- 9 $P(A \text{ and } B) = P(A)P(B|A) = P(B)P(A|B)$ whether or not A and B are independent.

Rules of Probability

- 1 For any event A , $0 \leq P(A) \leq 1$.
- 2 When each outcome is equally likely,

$$P(A) = \frac{\text{The number of outcomes in } A}{\text{The number of total outcomes}}.$$

- 3 $P(\text{something happens}) = 1$.
- 4 If A and B are disjoint, $P(A \text{ or } B) = P(A) + P(B)$.
- 5 $P(A \text{ doesn't happen}) = P(A^C) = 1 - P(A)$.
- 6 If A and B are independent, $P(A \text{ and } B) = P(A)P(B)$.
- 7 $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ whether or not A and B are disjoint.

- 8

$$P(B \text{ given } A) = P(B|A) = \frac{P(A \text{ and } B)}{P(A)}.$$

- 9 $P(A \text{ and } B) = P(A)P(B|A) = P(B)P(A|B)$ whether or not A and B are independent.
- 10 A and B are independent exactly when $P(B|A) = P(B)$ and $P(A|B) = P(A)$.